

*Nuova Donatella*  
*International*

## **CONCESSIONARI " EUROMATIC " ALL'ESTERO**

AUSTRIA: Vienna - ARABIA: Jeddah - BELGIO: Jumet -  
BRASILE: San Paolo - CANADA: Montreal - CIPRO:  
Nicosia - DANIMARCA: Kiellerup - EGITTO: Cairo -  
FINLANDIA: Helsinki - FRANCIA: Parigi, Deville-les-  
Rouen, Valence, Nimes, Blagnac, Albens - GERMANIA  
OCC.: Grafenrheinfeld - GIAPPONE: Tokyo - GRAN BRE-  
TAGNA: Londra - GRECIA: Atene - GIORDANIA: Amman -  
IRAN: Teheran - IRLANDA: Dublino - LIBANO: Antelias -  
MALAYSIA: Penang - MALTA: Mosta - MAROCCO: Ca-  
sablanca - NIGERIA: Lagos - OLANDA: Den Haag, Hoe-  
velaken - PORTOGALLO: Lisbona - STATI UNITI: New  
York, Edison - SIRIA: Baghdad - SVIZZERA: Losanna -  
SUD AFRICA: Maitland - TUNISIA: Tunisi - TAILANDIA:  
Bangkok - VENEZUELA: Caracas.

**Concessionari in tutte le principali città d'Italia**

E' vietata la riproduzione parziale o totale degli articoli  
stampati nel presente catalogo.

# *Nuova Donatella*

S. a. s. - di PRETI & C.

FABBRICA CASCHI ASCIUGACAPELLI E ARREDAMENTI PER PARRUCCHIERI  
FABRIQUE DE CASQUES SECHOIRS ET D'EQUIPEMENTS POUR LA COIFFURE  
HAIRDRYERS MANUFACTURER AND HAIRDRESSERS EQUIPMENT

41100 MODENA - ITALY - VIA G. B. SPACCINI, 2 - TEL. (059) 31.20.87 - 31.21.17



**1935 - 1981**

**Over 46 years of activity  
in the field of equipment  
for hairdressers**

The development of our production is based on the demand of the market. This enabled us to reach a first rank position on the world market.

**O. PRETI**

## Some of our collaborators



Ing. Salvatore Frau  
support - salesman



Mrs. Paola Preti  
book - keeping



Mrs. Claudia Santini  
secretary



Geom. Giorgio Dotti  
designer



**TECNICIAN STAFF**

The better and modern electric and electronic productive plants, a skilled and training competence on the sector, a new conception on the hair-dryer.

All this consents the NUOVA DONATELLA to be a leader and leading Firm on the hair-dryers sector.



The world turn always too little.

The distribution centres established by Donatella all over the world, reduce further on distances.



BELGIQUE

*Nuova Donatella*

en



Oscar Monet  
Belgique





Takigawa  
Japan

*Nuova Donatella*  
in  
JAPAN

*Nuova Donatella*  
in  
FINLAND



Eino Marttinen  
Finland





A. Chabert  
Brasil

*Nuova Donatella*  
in  
BRASIL

*Nuova Donatella*  
en  
FRANCE



R. Letourneur  
France







*Nuova Donatella*  
en



W. Haechler  
Suisse

SUISSE





*Nuova Donatella*  
in



M. L. Abrantes  
Portugal

PORTUGAL





*Nuova Donatella*  
in



L. Coffe  
Canada

CANADA





*Nuova Donatella*  
in  
AUSTRIA



Mr. Erich Praschak  
Wien



*Nuova Donatella*  
in  
JORDAN

Mr. Suleiman  
Jordan





FRANCE

*Nuova Donatella*  
en

ETS.  
E. C. F.





Mr. Kirsh

*Nuova  
Donatella*

in  
UNITED  
KINGDOM



Messrs. ANTONIA PRODUCTS - London



## *Nuova Donatella*



Mr. M. Saraoui  
Casablanca

en  
MAROC





*Nuova Donatella*



Mr. Ebner

in  
WEST - GERMANY








Colours of: EUROMATIC ELECTRONIC HAIRDRYERS



#### TECHNICAL SPECIFICATION OF THE NEW EUROMATIC ELECTRONIC HAIRDRYER

- 1) Electronic time clock, at the expired of the time it disconnects the current and stops.
- 2) Electronic temperature regulator, completely transistorized.
- 3) Special resistance isolated with asbestos, constant temperature, reduced current consumption, maximum life and safety.
- 4) One-phase motor, studie on purpose, self-lubricating, electronic speed from 2000 until 800 revolutions.
- 5) Circulating air special fan allowing a quick and uniform dryng, ultra silent.
- 6) New capillary filter assuring the inlet of clean air in the visor.
- 7) Interior in plastic material with asbestos, completely isolated, according to the provisions of EEC (European Economical Community).



**EUROMATIC ELECTRONIC INTERNATIONAL**

MOD. 180/S



### DIRECTIONS FOR USE OF THE -NEW HAIR- DRYER EUROMATIC ELECTRONIC

- 1) To plug into the socket.
- 2) To turn the knob — **Timer** — into the position 60 minutes.
- 3) To turn the knob — **Thermostat** — into the position 45/50 degrees.
- 4) To turn the knob — **Speed** — into the + position.
- 5) In order to start the hair-dryer push the pushbutton marked — **On** — and the hair-dryer starts electronically.
- 6) In order to stop the hair-dryer before the fixed time, push the pushbutton marked — **Off** —, without touching the other knobs, as the hair-dryer stops electronically.
- 7) Before putting the hair-dryer in movement, it is necessary that the knob — **Timer** — and the knob — **Speed** — be in the positions as above indicated.
- 8) The hair-dryer once put into movement, you can turn all knobs at pleasure, in order to give either time, or the calorie, or the speed of the desired ventilation.
- 9) The tension rod put on the side of the visor, has **always** to be pushed upward, it has to be pulled downward **only** in the case, when the customer wishes a calorie higher than 55 degrees.
- 10) If you wish that your hair-dryer EURO-MATIC ELECTRONIC MAY render the maximum of its performances and may last for a long time, the only requested maintenance is the CLEANING.



### **Technical specifications of automatic hairdryer "EUROMATIC GHIBLI"**

Automatic hairdryer with warm air-conditioned - Uniform drying without hair-net - Comforting, relaxing and ultra silent - Simplicity of use and command - A clock with cuts in the time from 5 to 60 minutes - A thermostat graduated from 5° to 70° degrees super-sensitive - A safety thermostat stopped automatically the current in case of damage - A new, modern and futuristic line - Perfect working, small maintenance, long guarantee - The automatic hairdryer with warm air-conditioned "GHIBLI" as the large range of our EUROMATIC INTERNATIONAL equipment, in made of ABS material with double insulation and is made in accordance with electric International Standards.



**EUROMATIC "GHIBLI,"**



Colours of EUROMATIC HAIRDRYERS Mod. 173 EXPORT



EUROMATIC EXPORT Mod. 173/M on Wall

## NEW HAIRDRYER

# “Euromatic-Export,, Mod. 173

in A.B.S. material

- 1) a clock which cuts in the time from 5' to 60' minutes hand regulating; at the expiration of the prefixed time it switches of the current automatically and it stops;
- 2) a termoregulator regulating heat, hand graduated from 20° to 70°;
- 3) a protected resistance made of a special alloy which contains heat for long time, allows a constant temperature and reduces the waste of current to the minimum;
- 4) A one phase motor particularly studied at 1400 revolutions and self-lubricated.
- 5) On request we apply a electronic speed motor.
- 6) On request we apply a automatic reversion fan.
- 7) A special fan at circulating flux of air allows a quiker drying abolishing the cold zones.
- 8) its inner part is made of material containing amianthus and has a double insulation as the regulations of E.E.C. (European Economy Community). And is made in accordance with electric international standards.



**EUROMATIC EXPORT « Mod. 173/S »**




**With opening visor**

**EUROMATIC EXPORT**



**With luxury foot**



Colours of EUROMATIC EXPORT INTERNATIONAL Mod. 173



EUROMATIC HAIRDRYER Mod. 174/M on Wall

The specification of the new hairdryer item 174 euromatic with foot and wall.

- 1) A clock which cuts in the time from 5' to 60' minutes, hand-regulating; at the expiration of the prefixed time it switches of the current automatically and it stops.
- 2) A commutator of calory hand-regulating with four positions corresponding to different calories.
- 3) Resistance isolated in nickel - chromium which produces in the hairdryer a constant and agreeable temperature.
- 4) A one phase motor particularly studied at 1300 revolutions and self-lubrificated.
- 5) A special fan at circulating flux of air allows a quiker drying aboloshing the cold zones.
- 6) Its inner part is made of material containing amianthus and has a double insulation as the regulations of E.E.C. (European Economy Community).



EUROMATIC HAIRDRYER Mod. 174/S on Stand

# EUROMATIC STEAMER

## INSTRUCTIONS

- 1) Put distilled water into the bottle, making sure that it reaches the level indicated by the two red dots on the sides of the bottle.
- 2) Wait a moment until a part of the water runs into the boiler. Now turn the knob on the clock to 30 minutes. Wait about 10 minutes for steam to come out.
- 3) The quantity of water: the contents of the boiler are sufficient for 30 minutes, that is, practically for a complete application from beginning to end.
- 4) At the end of every application remove all the water left in the boiler through a tap. ATTENTION: always fill the bottle with more water and follow the instructions as in 1) and 2) above.



## STEAMER

A well-dosed vaporizer allows the hairdresser to carry out treatment for face, the regeneration of the hair. It also serves for beauty treatment of the



EUROMATIC STEAMER on Wall

## DOUBLE USE STEAMER EUROMATIC

The simplest and most practical vaporizer  
Allows the hairdresser double use:

- TREATMENT OF HAIR
- TREATMENT OF FACE: for removing make-up, for moistening the skin, etc.

The vaporizer has two steam inhalers, one semi-circular for the hair, and the other cylindrical for the face.

When one wants to change from one use to the other, the steam inhaler must be substituted and the container moved upwards.

To move the container, it is necessary only to pull it forwards and move it upwards since it is held in the centre by a pivot with a spring.

Attention: when applying either the semi-circular inhaler or the cylindrical one, the part with holes must be face upwards.



**INFRA-RED  
ACCELERATOR  
(patented model)**

This low-voltage, infra-red ray dryer in the developing, besides reducing application times on an average of 7 minutes for dyes and perms and 12-14 minutes for decolouring. Sitting time can vary according to the characteristics of the hair and the treatment.

**CHARACTERISTICS**

The apparatus is equipped with 84 bulbs at 12 volt, which, by means or a special transformer, allow for use of the hood by inserting the plug into a 220 volt socket.

A switch enables the user to change the internal temperature from maximum to minimum, especially for when the apparatus is used for decolouring.

Maximum safety, due, above all, to the voltage reduction from 220 to less than 14.



INFRARED ACCELERATOR MOD. ON WALL

## EUROMATIC ACCELERATOR

84 lamps at 12 volt. for the best results


2 positions light  
Perming 4 minutes -  
Coloring 5 minutes -  
Bleaching 5 minutes  
Setting 4 minutes - Treatment 10 minutes  
Utmost security and guarantee



Hand-dryer EUROMATIC super turbo 2000 in white Makrolon.

Hand-dryer EUROMATIC Professional 1300 in white and black ABS.





Colours of EUROMATIC Mod. 172



Couleurs series Mod. 171/S - 172/S



Art. 172/S on foot

The specification of the new hairdryer Art. 172 with foot and at wall.

- 1) A clock which cuts in the time from 5' to 60' minutes, hand regulating, at the expiration of the prefixed time it switches of the current automatically and it stops.
- 2) A thermoregulator regulating heat, hand graduated from 20° to 70°.
- 3) A protected resistance made of a special alloy which contains heat for long time, allows a constant temperature and reduces the waste of current to the minimum.
- 4) A one phase motor particularly studied at 1400 revolutions and self-lubricated.
- 5) On request we apply a two speeds motor and with automatical revers. Minimum speed 1400 revolutions - Maximum 2400 revolutions.
- 6) On request we apply with automatical revers.
- 7) A special fan at circulating flux of air allows a quiker drying abolishing the cold zones.
- 8) Its inner part is made of material containing amianthus and has a double insulation as the regulations of C.E.E. (European Economy Community).



Art. 172/M on wall



Euromatic Mod. 171/M on wall

The specification of the new hairdryer item 171 euromatic with foot and at wall.

- 1) A clock which cuts in the time from 5' to 60' minutes, hand-regulating; at the expiration of the prefixed time it switches of the current automatically and it stops.
- 2) A commutator of calory hand-regulating with four positions corresponding to different calories.
- 3) Resistance isolated in nickel-chromium-wich produces in the hair-dryer a constant and agreeable temperature.
- 4) A one phase motor particularly studied at 1300 revolutions and self-lubrificated.
- 5) A special fan at circulating flux of air allows a quiker drying aboloshing the cold zones.
- 6) Its inner part is made of material containing amianthus and has a double insulation as the regulations of C.E.E. (European Economy Comunity).



Euromatic Mod. 171/S on foot



Infra red Euromatic 5/M on wall




Infra red Euromatic 4/S on stand



Infra red Euromatic 5/M on wall



Infra red Euromatic 4/S on stand



Infra red Euromatic 5/S on stand



Infra hand light Euromatic

*“EQUIPMENT,, service*







**Art. 579** - Dressing table unit laminated in vulnut wood with hole for hand-dryer, unit size cm. 220 x 73 - dividing size cm. 220 x 35.



**Art. 550** - Round dressing table type column  
with four compartment in laminated satin  
steel, cm. 280 x  $\varnothing$  130.

**Art. 226** - Trolley for hand dryer in chromium metal.

**Art. 547** - Unisex chair with hydraulic pump.



**Art. 545** - Dressing table unit with light and satin steel Inox frames, cm. 110 x 180.  
**Art. 541** - Shape table for waiting room.



**Art. 478** Dressing table unit in laminated type walnut wood, complete as picture - size cm. 90 x 220.  
Divided included size cm. 40 x 220.



**Art. 221** - Roller Trolley Type Moon.

**Art. 487** - Cash desk with display area one drawer and column support.



Art. 483 - Round dressing table unit divided with crystal and laminated satin steel cm. 200 x 70 - Dividing cm. 200 x 45  
Art. 455 - Laminated and fumè glass waiting-room table.



**Art. 501** - Dressing table unit with trolley incorporated in the divider cm. 200 x 85 - **Art. 501/Bis** - Dividing cm. 200 x 40  
**Art. 502** - Longe chair in units squadre style.  
**Art. 503** - Curved table for waiting room with crystal undershelf.



**Art. 465** - Dressing table unit, with separate foot rests in steel inox satin cm. 180 x 100

**Art. 458** - Revolving chair with varnished arms.


**Art. 459** - Lounge chair (suitable for waiting) with enamelled base.

**Art. 454** - Laminated magazine and newspaper table.





- Art. 466** - Dressing table unit, satin steel Inox frames with lights and separate foot-rests cm. 180 x 100.  
**Art. 456** - Revolving easy chair with circular base.  
**Art. 460** - Lounge chair quilted upholstery.  
**Art. 439** - Laminated waiting table.



**Art. 479** - Dressing table unit in laminated type walnut wood, complete as picture - size cm. 110 x 210



**Art. 480** - Dressing table with single units, without divided, complete as picture - size cm. 110 x 200



**Art. 327** Dressing table two-places in laminated, complete as picture - size cm. 185 x 55 x 100.



**Art. 328** Dressing table two-places in laminated, complete as picture - size cm. 185 x 55 x 110.



**Art. 546** - Revolving chair for styling with shape arm-rest in chromium and luxury stand.



**Art. 549** - Revolving chair for styling « Unisex » with hydraulic pump.



**Art. 475** - Unit shelf with crystal mirror partitions and spot lamps cm. 180 x 100

**Art. 476** - Occasional table with glass top.

**Art. 477** - Four seater settee with attachments for Euromatic hoods - dimensions 215 x 65 cm.

**Art. 474** - Revolving work armchair with chrome - finished arms.



Art. 426 - Shelf with squadre lacquered frames cm. 180 x 330



Art. 427 - Unit shelf with lacquered rosette frames cm. 180 x 110



**Art. 580** Dressing table unit for BARBER in laminated, complete as picture - size cm. 150 x 220.





**Art. 581** Dressing table unit for BARBER in laminated, complete as picture - size cm. 150 x 220.



**Art. 582** Dressing table unit for BARBER in laminated and chromium tube, complete as picture - size  
cm. 150 x 200.



**Art. 583** Dressing table unit for BARBER in laminated, complete as picture - size cm. 150 x 200.  
**Art. 530** Revolving chair unisex with hydraulic pump art. 50.



**Art. 584** Dressing table unit for BARBER in laminated type walnut wood, complete as picture - size cm. 150 x 220.



**Art. 481** Revolving chair with band in chromium iron.  
**Art. 437** Revolving chair for working.



**Art. 605** - Unit in white bamboo.

**Art. 606** - Chair in white bamboo.



**Art. 604** - Puff en bambou blanc - Pouffe in white bamboo.

**Art. 603** - Fauteuil en bambou blanc avec portecasque EUROMATIC mural - Chair in white bamboo with attachment on wall for EUROMATIC Dryer

**Art. 600** - Fauteuil d'attente en bambou blanc - Waiting chair in white bamboo

**Art. 602** - Table en bambou blanc - Table in white bamboo

**Art. 601** - Divan à deux places en bambou blanc - Settee in white bamboo.



- Art. 533** - Etagère en bambou naturel - Shelf in natural bamboo.  
**Art. 532** - Fauteuil Miura en bambou naturel - Chair Miura in natural bamboo.  
**Art. 531** - Console en bambou naturel - Unit in natural bamboo.  
**Art. 539** - Porte-bigoudis en bambou - Trolley in natural bamboo.





- Art. 538** - Paravent avec 3 antes - Wind-screen with 3 doorposts.  
**Art. 572** - Fauteuil d'attente en bambou naturel - Waiting chair in white bamboo.  
**Art. 522** - Puff en bambou naturel - Pouffe in natural bamboo.  
**Art. 529** - Porte-manteau en bambou naturel - Coat-hanger in natural bamboo.  
**Art. 571** - Fauteuil en bambou avec porte-casque mural - Chair in natural bamboo with wall attachment for EUROMATIC Dryer.  
**Art. 544** - Divan à deux place en bambou - Settee in natural bamboo.  
**Art. 573** - Table en bambou naturel - Table in natural bamboo.



**Art. 543** - Caisse en bambou naturel - Cash desk in natural bamboo.  
**Art. 540** - Console ovale en bambou naturel - Unit in natural bamboo.  
**Art. 542** - Fauteuil en bambou naturel - Chair in natural bamboo.



- Art. 317** - Little arm-chair with attachment for EUROMATIC Hairdryer cm. 70 x 50  
**Art. 330** - Two seater settee for waiting cm. 70 x 100  
**Art. 329** - Little arm-chair for waiting cm. 70 x 50  
**Art. 318** - Two seater settee with attachment for EUROMATIC Hairdryer cm. 70 x 100



- Art. 312 - Bench with attachment for EUROMATIC Hairdryer cm. 50 x 50
- Art. 313 - Little table for waiting cm. 50 x 50 x 50
- Art. 314 - Bench two places with attachment for EUROMATI Hairdryer cm. 50 x 100
- Art. 315 - Bench for waiting cm. 50 x 50
- Art. 316 - Bench two places for waiting cm. 50 x 100



Art. 333 - Revolving chair



Art. 332 - Revolving chair, base inox round only



**Art. 331** - Revolving chair, base type « U »



- Art. 565** - Two seater settee with attachments for EUROMATIC dryers.  
**Art. 566** - Arm-chair for waiting with removable cushions.  
**Art. 567** - Portable magazine table with ashtray incorporated.  
**Art. 568** - Two seater settee for waiting with removable cushions.  
**Art. 569** - Arm-chair with attachment for EUROMATIC dryers.



- Art. 308** Little chair for waiting in black frame.  
**Art. 307** Little chair with black wash basin attached.  
**Art. 311** Little chair for waiting or shampooing.





**Art. 400** - Revolving chair with frame in chromium iron.



**Art. 402** - Revolving chair with chromium iron and base type star inox.



**Art. 401** - Chair with attachment for EUROMATIC Hairdryers.  
**Art. 404** - Waiting chair without attachment - Fauteuil d'attente.



**Art. 403** - Revolving chair.



- Art. 556** - Chair with attachment for EUROMATIC Dryer.  
**Art. 555** - Settee with attachments for EUROMATIC Dryer.  
**Art. 558** - Waiting chair without attachment.  
**Art. 557** - Waiting settee without attachment.



**Art. 554 - Revolving chair.**



**Art. 552 - Revolving chair**



**Art. 516** - Manicure table with two drawers in laminated and in leather.

**Art. 517** - Cylindrical pouf leather-covered.

**Art. 518** - Square pouf leather-covered.

**Art. 519** - Waiting pouf whole leather-covered.



**Art. 553** - Revolving chair with hydraulic pump.



**Art. 509** - Square waiting table, chromium-plated and brown glass - cm. 75 x 75.



**Art. 577** - Revolving chair with frame in chromium tube.



**Art. 576** - Revolving chair for working.



**Art. 514** - Revolving chair with hydraulic pump.



**Art. 574** - Revolving chair with frame in chromium iron.





**Art. 415** - Leather-covered chair with attachment for Euromatic dryer - Bologna Style.  
**Art. 471** - Leather-covered chair with attachment for Euromatic dryer.




**Art. 421** - Chair for waiting - leather-covered interior, laminated exterior.  
**Art. 420** - Chair with attachment for Euromatic dryer, as stated above.



**Art. 585** Barber chair with frame in chromium steel and big hydraulic pump.



**Art. 586** Barber chair with frame in inox steel and big hydraulic pump.



**Art. 588** Barber chair with frame in varnished steel and big hydraulic pump.



**Art. 587** Revolving chair with adjustable back and special hydraulic pump.




**Art. 578** - Revolving chair for working.



**Art. 575** - Waiting-chair with frame in chromium tube.



Art. 570 - Two place shampoo unit with wash basins of pottery revolving and reclining.



Art. 486 - Single place shampoo wit wash basin of plexiglas.

Art. 528 - Single place shampoo with was basin of pottery.





**Art. 321** Two place shampoo unit with basins revolving and reclining, complete as picture - size cm. 130 x 100 x 45.

**Art. 322** Single place shampoo with basin revolving and reclining, complete as picture - size cm. 55 x 100 x 45.




**Art. 424** - Two places shampoo unit with wash basins of pottery in white colour.



**Art. 431** - Single place shampoo with wash basin of pottery in white colour.





Art. 430 - Shampoo unit Inox finished basin, 140 cm.  
Art. 490 - Single shampoo unit basin in steel Inox.



**Art. 220** - Trolley in laminated plastic and made in chrome.  
**Art. 440** - Roller trolley  
**Art. 222** - Big roller trolley with made in chrome.



**Art. 224** - Trolley in chromium-metall - colours: white, orange, brown and black.

**Art. 520** - Manicure table in ABS and chromium-metal - colours: white, orange and black.

**Art. 225** - Trolley with six shelves in ABS and chromium-metal - colours: as 224.



Art. 323 Cash desk in laminated as picture - size cm. 100 x 80 x 45.



Art. 325 Cash desk in laminated type walnut wood - size cm. 80 x 80 x 100




**Art. 326** Cash desk in laminated - size cm. 80 x 80 x 100.




Art. 524 - Laminated cash-desk with two drawers.

Art. 525 - Laminated cash-desk with glass show case.



- Art. 324** Cash desk in laminated with drawer as picture - size cm. 80 x 80 x 45.  
**Art. 461** Cash desk in laminated with glass show case - size cm. 80 x 80 x 45.  
**Art. 484** Cash desk in laminated with crystal surface and drawer - size cm. 100 x 80 x 45.





**Art. 464** - Column shaped coat stand in chromium-metal.

**Art. 507** - Coat-hanger with column in chromium-plated.




- Art. 215** Trolley with six black shelves in ABS material.  
**Art. 218** Trolley with three half-spheres in white and two holes for hand-dryer.  
**Art. 228** Trolley with three white shelves.




- Art. 227** - Trolley with five ivory shelves and brown frame, all in ABS material.  
**Art. 216** - Trolley with six black shelves and chromium frame with two holes for hand-dryer.




**Art. 214** - Trolley with four shelves in Moplen colours: black and ivory.  
**Art. 202** - Trolley with two-shelf in Moplen, colours: black and ivory.  
**Art. 213** - Trolley with four shelves inclineds in Moplen, colours: as 214




**Art. 211** - Wash basin special in Moplen, colours: black and ivory.  
**Art. 203/bis** - Wash basin in Moplen with water tank, colours: as 211.  
**Art. 203** - Wash basin in Moplen with pedestal, colours: as 211.




**Art. 204** - Wash basin in Moplen with attachment for chair, colours: as  
**Art. 206** - Water cude for shampooing with attachment for chair, colours:




**Art. 10**  
Hydraulic pump inox with base  
type star




**Art. 20**  
Hydraulic pump inox with base  
type disc



**Art. 50**  
Hydraulic pump Unisex, base disc  
inox



**Art. 30**  
Base type star inox with 5 spokes




**Art. 40**  
Base type disc inox




**Art. 319** Chair for massages in open position.



**Art. 319** Chair for massages in closed position, colour: white, bleu, black, ivory only.





**NUOVA DONATELLA** s. a. s. di Omero Preti & C.

VIA G. B. SPACCINI 2 - VIA LANCILLOTTO 5 - TELEF. (059) 312087 - 312117 - 41100 **MODENA - ITALY**